



## SCOMBRIDAE

### *Auxis rochei rochei* (Risso, 1810)

## الاسقمريات

FAO names: En – Bullet tuna; Fr – Bonitou; Sp – Melva;

Ar – بالميدا مبرومة

**Size:** From 25 to 30 TL (50 cm TL).

**Habitat and biology:** Pelagic, neritic. Found usually from the surface down to 30 m depth. Gregarious, oceanodromous, frequently found in large schools. Feeds mainly on fishes (anchovies) but also crustaceans larvae and squids.

**Importance to fisheries:** Target species. Caught commonly with entangling nets, seines, traps, longlines and trolling.

**Distribution:** Mediterranean, common in the area. Atlantic, Indian and Pacific oceans.

**الحجم:** الطول الكلي 25–30 سم والأقصى 50 سم.

**الموائل وعلم الحياة:** بيلاجي شاطئي. يتواجد عادةً على أعماق بين السطح و 30 متراً. سربي، مهاجر ضمن المحيط، يُشاهد مراراً في أسراب كبيرة. يتغذى أساساً على الأسماك (الأنشوجات) وأيضاً يرقات القشريات والحبار.

**الأهمية في الصيد:** نوع مُستهدف في الصيد. شائع في الشباك المُشربكة أو المُبطنّة، والشباك الجيبية، والفخاخ وخيوط الشراك، وبالجر بالصنابير.

**التوزع:** البحر المتوسط، شائع في المنطقة. يُنتشر في المحيط الأطلسي والهندي والهادئ.

