



## RAJIDAE

### *Leucoraja circularis* (Couch, 1838)

## الليسانيات

FAO names: En – Sandy ray; Fr – Raie circulaire; Sp – Raya falsa vela;

Ar – راية رملية

**Size:** From 30 to 50 cm TL (120 cm TL).

**Habitat and biology:** Demersal over soft bottoms, at depths ranging from 50 to 500 m. Oviparous. Feeds on benthic animals.

**Importance to fisheries:** Bycatch species. Caught rarely with bottom trawls.


**Distribution:** Mediterranean, rare to occasional in the western area and never recorded from the eastern area. Northeastern Atlantic.

**الحجم:** الطول الكلي 30–50 سم والأقصى 120 سم.

**الموائل وعلم الحياة:** مجاور للقاع على قيعان رخوة على أعماق تتفاوت ما بين 50 و 500 متر. بيوض. يتغذى على الحيوانات القاعية.

**الأهمية في الصيد:** مصيد ثانوي. نادر في شباك الجرف القاعي.

**التوزيع:** البحر المتوسط، نادر إلى عرضي في غربي المنطقة ولم يُسجَل في شرقها. يُنتَبَرُ في شمال شرق الأطلسي.



4–10 creamy spots with a dark margin  
10–4 بقع قشدية اللون ذات حواف قاتمة