

LOLIGINIDAE

Loligo vulgaris Lamarck, 1798

حباريات الشواطئ

FAO names: En – European squid; Fr – Encornet européenne; Sp – Calamar europeo;

Ar – حبار مألوف

Size: From 15 to 25 cm ML (64 cm ML).

Habitat and biology: Pelagic, neritic living over various bottoms. Found usually between 20 m and 100 m, up to 500 m depth. Oceanodromous species. Feeds mainly on fishes and crustaceans; cannibalism is common.



Importance to fisheries: Targeted species. Caught commonly to occasionally with bottom trawls, seines, entangling nets and hooks-and-lines.

Distribution: Mediterranean, common in the area. Eastern Atlantic.

small suckers present on buccal membrane

ثمّة ممصات صغيرة على الغشاء الفموي

manus with 4 longitudinal series of suckers, 2 median series with 6–8 enlarged suckers each
اليد ذات 4 سلاسل طولانية من الممصات، وسلسلتان وسطيتان كل منها ذات 6–8 ممصات متضخمة




hectocotylus

ذراع منوي (منوي الكؤوس)



tentacular club

مضرب مِلْماسي



dorsal view
منظر ظهري

rounded posterior end of mantle
النهاية الخلفية للبرنس مدورة

الحجم: طول البرنس 15–25 سم والأقصى 64 سم.

الموطن وعلم الحياة: بيلاجي شاطئي يعيش على مختلف القيعان. يتواجد عادةً على أعماق بين 20 و 100 وحتى 500 متر. مهاجر ضمن المحيط. يتغذى أساساً على الأسماك والقشريات. تشيع ظاهرة الافتراس.

الأهمية في الصيد: نوع مُستهدف في الصيد. شائع إلى عرضي في شباك الجرف القاعي والشباك الجيبية والشباك المشربكة أو المبطنة وصنانير الخيوط.

التوزُّع: البحر المتوسط، شائع في المنطقة. ينتشر في شرقي الأطلسي.