

MURICIDAE

Murex forskoehlII Röding, 1798

الأرجوانيات


FAO names: En – Spiny murex;

Ar – موريكس شوكي

Size: Maximum shell length 11.5 cm; common from 5 to 8 cm.**Habitat and biology:** Demersal, buried in soft bottoms. Found usually between 5 and 50 m depth. Carnivorous species, feeds mainly on molluscs.**Importance to fisheries:** None. Caught occasionally with bottom trawls, seines, entangling nets or collected by scuba diving. Commonly used for decoration.**Distribution:** Introduced via the Suez Canal. Common in the Levantine basin, Red Sea and Gulf of Aden and Gulf of Oman.**الحجم:** الطول الأقصى للقوقعة 11.5 سم، والشائع من 5 إلى 8 سم.**الموائل وعلم الحياة:** مجاور للقاع. مدفون في القيعان الرخوة. يتواجد عادةً على أعماق بين 5 و 50 متراً. نوع لاهم يتغذى أساساً على الرخويات.


الأهمية في الصيد: لا أهمية له. عرضي في شبك الجرف القاعي والشباك الجيبية والشباك المشربكة أو المبطنة، أو يُجمع بالغطس. يشيع استخدامه للتزيين.

التوزع: دخل عبر قناة السويس. شائع في الحوض الشرقي للمتوسط (الليفانت). ينتشر في البحر الأحمر وخليج عدن وخليج عمان.

7-8 whorls
8-7 تنيات

dorsal view

منظر ظهري

strong long spines
أشواك طويلة قاسية2-3 rows of spines
on siphonal canal
صفتين إلى ثلاثة من الأشواك
على القناة المتعبيّة

ventral view

منظر بطني