

MONACANTHIDAE

Stephanolepis diaspros Fraser-Brüner, 1940

أحاديات الشوكة

FAO names: En – Reticulated leatherjacket; Fr – Bourse garnale; Sp – Lija garnal;

Ar – مبرّد مُرَيّن

Size: From 13 to 20 cm TL (24 cm TL).

Habitat and biology: Demersal, neritic over rocks and hard bottoms, usually with seaweeds. Found from the surface down to 60 m depth. Solitary. Feeds on small invertebrates from rocks.

Importance to fisheries: Bycatch species. Caught commonly with entangling nets and by shore angling.

Distribution: Introduced via the Suez Canal. Common in eastern Mediterranean, not recorded from Algeria to Morocco. Western Indian Ocean.

الحجم: الطول الكلي 13–20 سم والأقصى 24 سم.

الموطن وعلم الحياة: مجاور للقاع شاطئي فوق الصخور والقيعان الصلبة المقترنة عادةً بالطحالب. يتواجد عادةً على أعماق بين السطح و 60 متراً. وحيداً. يتغذى على اللاقاريات الصغيرة الكائنة على الصخور.

الأهمية في الصيد: مصيد ثانوي. شائع في الشباك المُشْرِبِكة أو المُبَطَّنة، وبالصيد بالصنانيير من الشاطئ.

التَّوَرُّع: دخل عبر قناة السويس. شائع في شرقي البحر المتوسط، لم يُسَجَلْ من المغرب إلى جزائر. يَنْتَشِرُ في غربي المحيط الهندي.

